# CHOICE

## MULTI-USER SERIES

# Choice Multi-User Grill Collection

Built to last with all 304 S.S. construction. Designed to withstand frequent use in settings like resorts or condos, Choice Multi-User grills feature durable materials, reliable controls, low cost operation and more:

## KEY FEATURES

1. Seamless, 90 degree, spring-assisted hood allows easy access to grilling and more efficient exhaust.
2. Analog thermometer w/ angled polished stainless steel bezel in hood measures up to 1000° F.
3. Heavy-duty anti-theft warming rack ideal for keeping cooked foods hot or warm up bread.
4. Anti-theft, patented† Diamond Sear cooking grids for superior grilling performance.
5. Reliable turn-to-light ignition (no power required, no batteries to change).
6. Polished anti-theft control knobs with comfort-touch grips (standard Multi-User grills only).
7. 14-gauge stainless steel burners for durability and even heat.
8. Operating instructions laser etched on control face so they can't be misplaced.
9. 16-gauge stainless steel Flavor Grids provide even heat distribution and reduced flare-ups.
10. All units include a 1-hour automatic shut-off timer.
11. Accessible Kit (#**24171-11**) available for built-in units to retrofit with ADA best practices for individuals with disabilities…post mount model also available.

Plus, a strong **5-year limited warranty** backed by the company that has built grills in America for over 80 years.

† U.S. Pat. No. D857,453

For single family home models of Choice grills, go to **www.firemagicgrills.com/Choice-Series/**

3
4
5
6


1

2

3

4


5

6

7

READ BEFORE LIGHTING
1. Open or remove the lid.
2. Turn all gas control knobs to OFF position.
3. Turn on gas at its source.
4. Depress control knob, while pressing turn counterclockwise to HI LIGHT position. If no ignition, turn to OFF position and repeat sequence. CAUTION: If burner does not light within 5 seconds, turn knob to OFF position and wait 5 minutes before relighting. If you smell gas, refer to owner's manual.
8

9

OFF
FIREMAGIC
MINUTES
10

11

11

## Choice Multi-User CM650i, 36" Built-In Grill

**CM650i-RT1N***

**SPECIFICATIONS**

- Primary Cooking Surface: **36” x 18” (648 sq. in.)**
- Warming Rack Surface: **36” x 8” (288 sq. in.)**
- Main Burners: **69,000 BTU’s**
- Cut-out Dimensions: **37¾”w x 19½”d x 11½”h**

## Choice Multi-User CM540i, 30" Built-In Grill

**CM540i-RT1N***

**SPECIFICATIONS**

- Primary Cooking Surface: **30” x 18” (540 sq. in.)**
- Warming Rack Surface: **30” x 8” (240 sq. in.)**
- Main Burners: **60,000 BTU’s**
- Cut-out Dimensions: **32”w x 19½”d x 11½”h**

## Choice Multi-User CM430i, 24" Built-In Grill

**CM430i-RT1N***

**SPECIFICATIONS**

- Primary Cooking Surface: **24” x 18” (432 sq. in.)**
- Warming Rack Surface: **24” x 8” (192 sq. in.)**
- Main Burners: **46,000 BTU’s**
- Cut-out Dimensions: **25½”w x 19½”d x 11½”h**

***All models available in natural gas or propane (for propane, change **N** to **P** in the model #).

## Choice Multi-User CM430s, 24" Patio Post Mount Grill

**CM430s-RT1N*-P6**

- Primary Cooking Surface: **24” x 18” (432 sq. in.)**
- Warming Rack Surface: **24” x 8” (192 sq. in.)**
- Main Burners: **46,000 BTU’s**
- Includes a one-hour mechanical timer on post

## Choice Multi-User CM430s, 24" In-Ground Post Mount Grill

**CM430s-RT1N*-G6**

- Primary Cooking Surface: **24” x 18” (432 sq. in.)**
- Warming Rack Surface: **24” x 8” (192 sq. in.)**
- Main Burners: **46,000 BTU’s**
- Includes a one-hour mechanical timer on post

***All models available in natural gas or propane (for propane, change **N** to **P** in the model #).

# Choice Multi-User Accessible

Choice Multi-User built-in grills may be retrofitted in the field to provide operational enhancements for individuals with disabilities. Applying ADA best practices, an easy-to-install kit is available to add modified control knobs and a side handle for the oven hood to increase accessibility.

The post mount model is factory configured to include these changes and is 32" high to lower the grill height. Other installation requirements apply for built-in units – always check local specifications.

## Choice Multi-User Accessible CMA430s, 24" Post Mount Grill

**CMA430s-RT1N*-P6 - Patio Post Mount (left)**
**CMA430s-RT1N*-G6 - In-Ground Post Mount (right)**

- Primary Cooking Surface: **24" x 18" (432 sq. in.)**
- Warming Rack Surface: **24" x 8" (192 sq. in.)**
- Main Burners: **46,000 BTU's**
- Includes a one-hour mechanical timer on post
- 32" working surface height

***All models available in natural gas or propane (for propane, change **N** to **P** in the model #).**

# Premium Flush Doors & Accessories

## Vertical Single Access Doors with Lock and Key

| Model # | Hinge | Cut-out |
|---|---|---|
| 53920KSC-R | Right | 21”h x 14½”w |
| 53920KSC-L | Left | |
| 53924KSC-R | Right | 25”h x 17½”w |
| 53924KSC-L | Left | |

## Horizontal Single Access Doors with Lock and Key

| Model # | Hinge | Cut-out |
|---|---|---|
| 53914KSC-R | Right | 15”h x 20½”w |
| 53914KSC-L | Left | |
| 53917KSC-R | Right | 18”h x 24½”w |
| 53917KSC-L | Left | |

## Double Access Doors with Lock and Key

| Model # | Cut-out |
|---|---|
| 53934KSC | 15”h x 30”w |
| 53930KSC | 21”h x 30”w |
| 53938KSC | 16”h x 39”w |

## Accessories



The Insulating Liner facilitates installation of built-in Fire Magic® grills into wood, composite or other combustible enclosures when used with non-combustible counter tops.

### Available Insulating Liner Models

| Model # | Compatible Grill |
|---|---|
| 3177-52 | Choice **CM650i** Built-In Grill |
| 23150-52 | Choice **CM540i** Built-In Grill |
| 23130-52 | Choice **CM430i** Built-In Grill |

### Tank Shield

**5110-33**

Used with **CM430s** post mount grills with Propane gas.

### Accessible Kit

**24171-11**

An easy-to-install kit is available to add modified control knobs and a side handle for the oven hood to increase accessibility on all Choice Multi-User grills.

## FIRE MAGIC MULTI-USER GRILLS AND ACCESSORIES

**LIMITED WARRANTY**

When used in a multi-user setting* including but not limited to apartment complexes, multi-family dwelling complexes, schools, hotels, fire stations, police stations, etc.

*Excluding restaurants and settings where the grill usage is primarily commercial.

Robert H. Peterson Co. ("RHP") warrants your Fire Magic® grill to be free from defects in material and workmanship.

Fire Magic® Stainless steel grill housing, burners, stainless steel cooking grids, valves, inner liners and manifold assemblies are warranted for **FIVE (5) YEARS**.

All other components, except batteries, are warranted for **ONE (1) YEAR**.

FIREMAGIC®

BUILT WITH PASSION. OWNED WITH PRIDE.

14724 East Proctor Ave., City of Industry, CA 91746
www.firemagicgrills.com

L-C1-13624
Rev. 00 - 2501071050